



# Safety Data Sheet

Product identifier used on the label: Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

Stock Number: RIDWINWAS

Date: 08-20-2021

## 1. Identification

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid  
-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Other means of identification:**

**Synonyms:** No data available

### Recommended use of the chemical and restrictions on use:

**Recommended use:** Windshield Washer Fluid

**Restrictions on use:** Uses other than those described above

**Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:** Parkland Corporation  
1970 East 68th Avenue  
Denver, CO 80229

**Phone number:** +1-403-455-1743

**E-mail address:** [Ridgeline.information@parklandusa.com](mailto:Ridgeline.information@parklandusa.com)

**Emergency phone number:** +1-303-591-0108

## 2. Hazard(s) identification

### GHS-US-Classification

|                                                                           |                                                            |
|---------------------------------------------------------------------------|------------------------------------------------------------|
| <b>Flammable liquids, Category 3:</b> H226                                | Flammable liquid vapor                                     |
| <b>Acute toxicity (oral), Category 4:</b> H302                            | Harmful if swallowed                                       |
| <b>Acute toxicity (dermal), Category 3:</b> H311                          | Toxic in contact with skin                                 |
| <b>Acute toxicity (inhalation: dust, mist), Category 4:</b> H332          | Harmful if inhaled                                         |
| <b>Specific target organ toxicity – single exposure, Category 1:</b> H370 | Causes damage to organs (May cause blindness if swallowed) |

### Precautionary Statements:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. heat, hot surfaces, open flames, sparks Keep container tightly closed.

Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting, ventilating equipment. Use only non-sparking tools.

Take precautionary measures against static discharge.

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

Do not breathe mist, spray, vapors Wash affected areas thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear personal protective equipment as required.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing

If exposed: Call a poison center/doctor If swallowed Immediately call doctor/physician or poison center.

Rinse Mouth. Call doctor/physician or poison center if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use Carbon dioxide, Dry powder, foam, sand to extinguish. Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container to appropriate waste disposal facility, in accordance with local /regional /national/ international regulations.

## 3. Composition/information on ingredients

| -30°F         |                     |         |                                                                                                                                      |
|---------------|---------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------|
| Chemical Name | CAS #               | %       | GHS-US classification                                                                                                                |
| Water         | (CAS-No.) 7732-18-5 | Balance | Not classified                                                                                                                       |
| Methanol      | (CAS-No.) 67-56-1   | 30-35   | Flam. Liq. 2, H225<br>Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation), H331<br>STOT SE 1, H370 |

| -20°F         |                     |       |                                                                                                                                      |
|---------------|---------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------|
| Chemical Name | CAS #               | %     | GHS-US classification                                                                                                                |
| Water         | (CAS-No.) 7732-18-5 | >= 67 | Not classified                                                                                                                       |
| Methanol      | (CAS-No.) 67-56-1   | <= 33 | Flam. Liq. 2, H225<br>Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation), H331<br>STOT SE 1, H370 |

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

| 0°F                |                     |       |                       |
|--------------------|---------------------|-------|-----------------------|
| Chemical Name      | CAS #               | %     | GHS-US classification |
| Water              | (CAS-No.) 7732-18-5 | 30-35 | Not classified        |
| Surfactant Mixture | N/A                 | 30-35 | N/A                   |
| Glutaraldehyde     | (CAS-No.) 111-30-8  | 1-5   | N/A                   |
| Methanol           | N/A                 | 0     | N/A                   |

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion

**Inhalation:**

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.

**Eye Contact:**

Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.

**Skin Contact:**

Wash with soap and water. Get medical attention if irritation develops or persists.

**Ingestion:**

No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

High concentrations may cause central nervous system characterized by severe headaches, dizziness, nausea and confusion. May cause irritation of the nose and throat.

**Most important symptoms/effects, acute and delayed:**

Prolonged exposure to skin may cause skin irritation experienced as burning, dryness, cracking and redness.

May cause severe irritation.

May cause nausea, abdominal pain, headache, shortness of breath, visual impairment and blindness. Severe poisoning can lead to coma and death.

**Indication of immediate medical attention and special treatment needed, if necessary:**

Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. This product contains/consists of methanol which can cause intoxication and depression of the central nervous system.

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid  
-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

## 5. Fire-fighting measures

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** ABC powder. Foam. Dry Powder. Carbon Dioxide. Sand.

**Unsuitable extinguishing media:** Do not use heavy water stream. May spread fire.

**Specific hazards arising from the chemical:** Flammable liquid and vapor. Vapors are heavier than air and may travel along the ground or may be moved by ventilation.

**Explosion hazard:** Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Use water spray or fog for cooling exposed containers.

**Special protective equipment and precautions for fire-fighters:** Exercise caution when fighting any chemical fire. Prevent firefighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Do not breathe mist, spray, vapors. In case of inadequate ventilation wear respiratory protection. Remove ignition sources. Use special care to avoid static electric charges. Evacuate unnecessary personnel. Keep upwind. Mark the danger area. Equip cleanup crew with proper protection. Ventilate area.

**Methods and materials for containment and cleaning up:**

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

## 7. Handling and Storage

**Precautions for safe handling:**

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

**Conditions for safe storage, including any incompatibilities:**

**Safe storage conditions:**

Keep only in the original container in a cool, well ventilated place away from: Heat sources, hot surfaces, open flames, sparks. Keep container

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies. Do not cut, drill, weld, use a blowtorch on, etc. containers even when empty.

**Materials to Avoid/Chemical Incompatibility:**

Keep away from strong acids, strong bases and oxidizing agents. Sources of ignition.

## 8. Exposure controls/personal protection

| Methanol (67-56-1) |                                     |                                       |
|--------------------|-------------------------------------|---------------------------------------|
| ACGIH              | Local name                          | Methanol                              |
| ACGIH              | ACGIH TWA (ppm)                     | 200 ppm (Skin)                        |
| ACGIH              | ACGIH STEL (ppm)                    | 250 ppm (Skin)                        |
| ACGIH              | Remark (ACGIH)                      | Headache; eye damn; dizziness; nausea |
| OSHA               | OSHA PEL (TWA) (mg/m <sup>3</sup> ) | 260 mg/m <sup>3</sup>                 |
| OSHA               | OSHA PEL (TWA) (ppm)                | 200 ppm (Skin)                        |
| Water (7732-18-5)  |                                     |                                       |
| Not applicable     |                                     |                                       |

**Appropriate engineering controls:**

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

**Individual protection measures, such as personal protective equipment:**

**Respiratory Protection:**

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):**

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eye protection:**

Wear safety glasses when handling this product if there is a likelihood of contact with eyes.

**Skin protection:**

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

**Gloves:**

Neoprene, Nitrile

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

## 9. Physical and chemical properties

|                                                       |                                                                                    |
|-------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>Physical state:</b>                                | Liquid                                                                             |
| <b>Color:</b>                                         | Blue                                                                               |
| <b>Odor:</b>                                          | Alcohol                                                                            |
| <b>Odor threshold:</b>                                | No data available                                                                  |
| <b>Relative evaporation rate<br/>(butylacetate=1)</b> | Greater than n-butyl acetate                                                       |
| <b>Freezing point:</b>                                | -30°F: -37.2 °C (-35 °F)<br>-20°F: -28.9 °C (-20 °F)<br>0°F: -17.8 °C (-20 °F)     |
| <b>Boiling point:</b>                                 | -30°F: 74-90 °C (166-194 °F)<br>-20°F: 81.7 °C (179 °F)<br>0°F: > 100 °C (>212 °F) |
| <b>Flash point:</b>                                   | -30°F: 30 °C (86 °F)<br>-20°F: 33.3 °C (92 °F)<br>0°F: n/a                         |
| <b>Auto-ignition temperature:</b>                     | No data available                                                                  |
| <b>Decomposition temperature</b>                      | No data available                                                                  |
| <b>Flammability (solid, gas):</b>                     | No data available                                                                  |
| <b>Vapor pressure:</b>                                | -30°F: 100 mm Hg @ 21.2 °C<br>-20°F: 43 mm Hg @ 20 °C<br>0°F: not determined       |
| <b>Relative density at 20 °C:</b>                     | Heavier than air<br>-30°F: not determined<br>-20°F: 0.96 @ 20 °C                   |
| <b>Specific Gravity:</b>                              | 0°F: 1.002-1.005 @15.6 °C                                                          |
| <b>Solubility(ies):</b>                               | Water: Not soluble                                                                 |
| <b>Log Pow:</b>                                       | No data available                                                                  |
| <b>Log Know:</b>                                      | No data available                                                                  |
| <b>Viscosity, kinematic:</b>                          | No data available                                                                  |
| <b>Viscosity, dynamic:</b>                            | No data available                                                                  |

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

## 10. Stability and reactivity

|                                                                           |                                                                                        |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Reactivity:</b>                                                        | There are no known reactivity hazards associated with this product.                    |
| <b>Chemical stability:</b>                                                | Stable under normal conditions.                                                        |
| <b>Possibility of hazardous reactions:</b>                                | Hazardous polymerization will not occur.                                               |
| <b>Conditions to avoid (e.g., static discharge, shock, or vibration):</b> | Keep away from heat, hot surfaces, open flames and other ignition sources. No smoking. |
| <b>Incompatible materials:</b>                                            | Keep away from strong acids, strong bases and oxidizing agents.                        |
| <b>Hazardous decomposition products:</b>                                  | Fume, Carbon monoxide, Carbon dioxide                                                  |
| <b>Explosive limits:</b>                                                  | 6 -36 vol %                                                                            |
| <b>Explosive properties:</b>                                              | No data available                                                                      |
| <b>Oxidizing properties:</b>                                              | No data available                                                                      |

## 11. Toxicological information

**Description of the various toxicological (health) effects and the available data used to identify those effects:**

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** Skin contact, Inhalation, Ingestion, Eye contact

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Ingestion:** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact:** This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.

**Absorption:** Estimated to be > 5.0 g/kg; practically non-toxic

**Inhalation:** No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

**Eye Contact:** The material is likely to be moderately irritating to eyes based on animal data. Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

**Sensitization:** Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.

**Mutagenicity:** No data available to indicate product or any components present at

# Safety Data Sheet

Product identifier used on the label: Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

Stock Number: RIDWINWAS

Date: 08-20-2021

|                                 |                                                                               |
|---------------------------------|-------------------------------------------------------------------------------|
| <b>Carcinogenicity:</b>         | greater than 0.1% is mutagenic or genotoxic.<br>Not expected to cause cancer. |
| <b>Reproductive toxicity:</b>   | Not known or reported to cause reproductive or developmental toxicity.        |
| <b>STOT-single exposure:</b>    | Based on available data, the classification criteria are not met.             |
| <b>STOTE-repeated exposure:</b> | Based on available data, the classification criteria are not met.             |
| <b>Aspiration hazard:</b>       |                                                                               |
| <b>Other information:</b>       | Based on available data, the classification criteria are not met.             |

| Methanol (67-56-1)         |                                                                                                                    |
|----------------------------|--------------------------------------------------------------------------------------------------------------------|
| LD50 oral rate             | 1187 - 2769 mg/kg bodyweight (BASF test, Rat, Male / female, Weight of evidence, Aqueous solution, Oral, 7 day(s)) |
| LD50 dermal rabbit         | 17100 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)                                                      |
| LC50 inhalation rat (mg/l) | 128.2 mg/l/4h (BASF test, 4 h, Rat, Male/female, Weight of evidence)                                               |
| ATE US (oral)              | 100 mg/kg bodyweight                                                                                               |
| ATE US (dermal)            | 300 mg/kg bodyweight                                                                                               |
| ATE US (gases)             | 700 ppmv/4h                                                                                                        |
| ATE US (vapors)            | 3 mg/l/4h                                                                                                          |
| ATE US (dust, mist)        | 0.5 mg/l/4h                                                                                                        |

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

**Persistence and degradability:** Biodegrades slowly.

**Bio accumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

**Other adverse effects (such as hazardous to the ozone layer):** None known

| Chemical Name                                            | CAS #      | Aquatic ERC50 Algae | Aquatic LC50 Fish                    |
|----------------------------------------------------------|------------|---------------------|--------------------------------------|
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | No data available   | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Petroleum distillates, hydrotreated heavy paraffinic     | 64742-54-7 | No data available   | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Highly refined synthetic base stocks                     | 64742-54-7 | No data available   | LC50 (96h) Rainbow Trout > 5000 mg/L |



# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

## 13. Disposal Considerations

**Product/Packaging disposal recommendations:** Dispose of contents/container to appropriate waste disposal facility, in accordance with local/regional/national/international regulations.

**Ecology – waste materials:** Avoid release to the environment

## 14. Transport Information

### Carriage of dangerous goods by road (DOT), rail or inland waterways:

**Non-Bulk:** In inner packaging no more than 5.0 L (1.3 Gallons): Proper Shipping Name: Limited Quantity of Class III Per 49 CFR Part 173.150 (PG III, inner packaging no more than 5.0L)

### Bulk (in quantities larger than 5.0L [1.3 gallons] in a single container)

**Transport documentation description** UN1993 Flammable liquids, n.o.s., 3, III

**UN-No. (DOT)** UN1993

**Proper Shipping Name (DOT)** Flammable liquids, n.o.s.

**Class (DOT)** 3-Class 3 – Flammable and combustible liquid 49 CFR 173.120

**Packaging Group (DOT)** III – Minor Danger

**Hazard labels (DOT)** 3 – Flammable liquid

**DOT Packaging Non-Bulk (49 CFR 173.xxx)** 203

**DOT Packaging Bulk (49 CFR 173.xxx)** 242

**DOT Symbols** G – Identifies PSN requiring a technical name

**DOT Packaging Exceptions (49 CFR 173.xxx)** 150

**DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)** 60 L

**DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)** A - The material may be stowed “on deck” or “under deck” on a cargo vessel and on a passenger vessel.

**Emergency Response Guide (ERG) Number** 128

### International carriage of dangerous goods by sea (IMDG/IMO):

**Transport document description (IMDG)** UN 1992 Flammable Liquid, Toxic, n.o.s. (methanol), 3, III

**UN-No. (IMDG)** 1992

**Propper Shipping Name (IMDG)** Flammable Liquid, Toxic, n.o.s. (methanol)

**Class (IMDG)** 3 – Flammable Liquid

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid

-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

|                                                                 |                                                            |
|-----------------------------------------------------------------|------------------------------------------------------------|
| <b>Packaging Group (IMDG)</b>                                   | III – substances presenting low danger                     |
| <b>International carriage of dangerous goods by air (IATA):</b> |                                                            |
| <b>Transport document description (IATA)</b>                    | UN 1992 Flammable Liquid, Toxic, n.o.s. (methanol), 3, III |
| <b>UN-No. (IATA)</b>                                            | 1992                                                       |
| <b>Propper Shipping Name (IATA)</b>                             | Flammable Liquid, Toxic, n.o.s. (methanol)                 |
| <b>Class (IATA)</b>                                             | 3 – Flammable Liquid                                       |
| <b>Packaging Group (IATA)</b>                                   | III – substances presenting low danger                     |
| <b>Subsidiary risks (IATA)</b>                                  | 6.1 – Toxic Substances                                     |

## 15. Regulatory Information

### U.S. Federal regulations

|                                                           |                                                                                             |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>EPA TSCA Regulatory Flag</b>                           | Toxic Substances Control Act (TSCA): The intentional ingredients of this product are listed |
| <b>SARA Section 302 Threshold Planning Quantity (TPQ)</b> | None                                                                                        |
| <b>SARA Section 311/312 Hazard Classes</b>                | Delayed (chronic) health hazard Fire hazard Immediate (acute) health hazard                 |
| <b>SARA Section 313 – Emission Reporting</b>              | 33% (Methanol CAS # 67-56-1) (-30°C, -20°C)                                                 |

### Methanol (6705601)

CERCLA RQ 5000lb(s) (2270 kg) (-30°C, -20°C)

### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Canada regulations

This SDS has been prepared according to the criteria of the Hazardous Products Regulations (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR. Applicable GHS information is listed in section 2.2 of this SDS.

### WHMIS Classification

## 16. Other Information, including date of revision or last preparation

|                       |                                                           |
|-----------------------|-----------------------------------------------------------|
| <b>Revision Date:</b> | 08-20-2021                                                |
| <b>References:</b>    | No data available                                         |
| <b>Other Info:</b>    | No data available                                         |
| <b>Disclaimer:</b>    | This safety data sheet and the information it contains is |

# Safety Data Sheet

**Product identifier used on the label:** Ridgeline Windshield Washer Fluid  
-30°F (WY, MT, ND, SD) | -20°F (CO, UT, NM, AZ, ID) | 0°F (FL)

**Stock Number:** RIDWINWAS

**Date:** 08-20-2021

---

offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.